




MBM
CORPORATION

DESTROYIT



Safety Protection System	4
Security Levels	5
<hr/>	
Deskside Shredders	6
Centralized Office Shredders	10
High Capacity Shredders	16
<hr/>	
Quality Made in Germany	20
Intelligent Document Security	21
<hr/>	
Shredders at a Glance	22



World renowned for their high performance and reliability, Destroyit shredders also feature the most innovative safety features.

Krug & Priester developed the SPS package to ensure Destroyit shredders meet the highest standards of safety. These features include a patented, electronically controlled transparent safety shield in the feed opening, an electronic switch that stops power to the motor when the cabinet is opened or the shred bin is full, automatic reverse and power cut-off when overfed, and double protection against overheating. The environmentally friendly zero energy consumption feature is a power saving sleep mode that activates after 30 minutes of inactivity.

The large, intelligent Easy Switch control element indicates the operational status of the shredder with illuminated color icons and back-lit symbols. It also provides an added degree of safety by functioning as an emergency stop switch.

SECURITY LEVELS

Destroyit has models available in all of the 6 levels according to DIN 66399 (the international standard for the destruction of data), and are shown in actual size below.




Material particle surface ≤ 1.25 " squared or strip width $\leq .25$ ". Strip length not determined.



Material particle surface $\leq .5$ " squared ($3/16$ " x 3 " particles, for example) or strip width $\leq 3/32$ ". Strip length not determined.



Material particle surface $\leq .25$ " squared and for regular particles: strip width $\leq 1/4$ " ($3/16$ " x $1 1/2$ " particles, for example).



Material particle surface $\leq .468$ " squared and for regular particles: strip width $\leq 3/32$ " ($3/32$ " x $5/8$ " particles, for example).



Material particle surface $\leq .0156$ " squared and for regular particles: strip width $\leq 3/64$ " ($1/32$ " x $1/2$ " particles, for example).



Material particle surface $\leq .0078$ " squared and for regular particles: strip width $\leq 3/64$ " ($1/32$ " x $3/16$ " particles, for example).

DESKSIDE SHREDDERS

Effective document security is right by your side with Destroyit Deskside model shredders. These robust machines are engineered to thrive in fast paced corporate environments. 3 models and a variety of shred sizes allow you to choose the perfect shredder for your needs.

In today's business environment, the necessity of shredding sensitive documents prior to disposal cannot be overemphasized. Equally important is having shredders that are up to the task. No company can afford to waste time and money on subpar machines that will have to be constantly repaired or replaced. When you purchase a Destroyit shredder, you are investing in a machine of superior quality that will provide many years of trouble free operation.



DESKSIDE SHREDDER FEATURES



SOLID STEEL CUTTING SHAFTS

High grade, hardened steel cutting shafts are milled in our Balingen factory and warranted for life (SMC shafts are warranted for 1 year).



PATENTED SAFETY SHIELD

Transparent safety shield keeps fingers, ties, and other objects away from the cutting shafts (electronically controlled on models 2445 and 2465).



ENVIRONMENTALLY FRIENDLY BIN

Durable, lightweight shred bins can be used with or without disposable bags (models 2445 and 2465).




QUALITY COMPONENTS

Cabinet doors are equipped with high quality adjustable metal hinges.



EASY SWITCH

Multifunction control element uses optical signals to indicate operational status and functions as an emergency stop switch (models 2445 and 2465).



LEAD-FREE SOLDERING

Only lead-free soldering is used in the production of our electrical components.



Lifetime Warranty



Made in Germany



Zero Energy



Eco Friendly



Safety Protection System



Easy Switch


1) Super micro-cut and High Capacity shafts are covered by a one-year limited warranty.

2) Automatic power cut-off available on models 2445 and 2465.

3) EASY SWITCH available on models 2445 and 2465.

DESTROYIT 2265

Convenient deskside shredder with cabinet and EASY-Touch for intuitive operation.

Specs	2265 Cross-Cut
Security level:	P-4
Particle size:	1/8 x 1" (3 x 25 mm)
Sheet capacity:	5 - 6*
Shred capabilities:	










SHREDDER BAGS
AC0908


SHREDDER OIL
ACCED21/4



DESTROYIT 2465

Hard working shredder featuring a quiet and powerful 3/4 horsepower, single phase motor.

Specs	2465 Strip-Cut	2465 Cross-Cut	2465 Cross-Cut
Security level:	P-2	P-4	P-5
Particle size:	3/16" (4 mm)	3/16 x 1 1/2" (4 x 40 mm)	3/32 x 5/8" (2 x 15 mm)
Sheet capacity:	19 - 22*	13 - 15*	9 - 11*
Shred capabilities:	  	 	 





SHREDDER BAGS
AC0908


SHREDDER OIL
ACCED21/4



DESTROYIT 2445

Convenient and powerful Deskside shredder with Smart Shred Control (SSC) for shredding without paper jams. A smiley face will flash if the shredder has reached its capacity limit.

Specs	2445 Cross-Cut	2445 Cross-Cut	2445 Super Micro-Cut
Security level:	P-4	P-5	P-7
Particle size:	3/16 x 1 1/2" (4 x 40 mm)	3/32 x 5/8" (2 x 15 mm)	1/32 x 3/16" (.8 x 5 mm)
Sheet capacity:	11 - 13*	6 - 8*	5 - 7*
Shred capabilities:			paper only



SHREDDER BAGS
AC0908

SHREDDER OIL
ACCED21/4



RECOMMENDED BAGS & OIL FOR DESKSIDE SHREDDERS

MODEL	SHREDDER BAGS	SHREDDER OIL
2265	AC0908	ACCED21/4
2360	AC0908	ACCED21/4
2445	AC0908	ACCED21/4
2404	AC0908	ACCED21/4
2465	AC0908	ACCED21/4



- 1) Super micro-cut and High Capacity shafts are covered by a one-year limited warranty.
- 2) Automatic power cut-off available on models 2360, 2445 SMC, 2404, and 2465.
- 3) EASY SWITCH available on models 2360, 2445 SMC, 2404, and 2465.


CENTRALIZED OFFICE SHREDDERS

When your document destruction requirements demand the perfect combination of high sheet capacity, volume and speed, look no further than the Centralized Office line. These heavy duty machines are designed to efficiently shred large amounts of material daily.

Ideally positioned in a common area and shared by a number of employees, Destroyit Centralized Office shredders combine high performance and innovative technology with industry leading safety features. Feed openings ranging from 10 1/4 to 16 inches accept a wide range of document sizes and a variety of cutting heads are available in 6 security levels. All strip- and cross-cut models will accept staples and paper clips and most will shred CDs. Generous bin sizes mean they can operate for long periods before being emptied.



CENTRALIZED OFFICE SHREDDER FEATURES



SAFE SHREDDING OF CDs / DVDs

On CD capable models, the electronically controlled shield protects the operator from stray splinters of plastic.



AUTOMATIC OIL INJECTION

On oiler-equipped models, the cutting shafts are automatically lubricated while shredding, ensuring optimal performance.



ENVIRONMENTALLY FRIENDLY BIN

Durable, lightweight shred bins can be used with or without disposable bags.



CAPACITY INDICATOR

Patented Electronic Capacity Control (ECC) indicator monitors sheet capacity levels during operation to prevent jams.



PATENTED SAFETY SHIELD

Electronically controlled transparent safety shield keeps fingers, ties, and other objects away from the cutting shafts.



EASY SWITCH

Multifunction control element uses optical signals to indicate operational status and functions as an emergency stop switch.



Lifetime Warranty



Made in Germany



Zero Energy



Eco Friendly



Safety Protection System



Easy Switch










ECC


1) Super micro-cut and High Capacity shafts are covered by a one-year warranty.

2) ELECTRONIC CAPACITY CONTROL not available on model 2503.

DESTROYIT 2503

Compact, entry model Centralized Office shredder with a 10 1/4 inch feed opening and 20 gallon shred volume.

Specs	2503 Strip-Cut	2503 Cross-Cut	2503 Cross-Cut
Security level:	P-2	P-4	P-5
Particle size:	3/16" (4 mm)	3/16 x 1 1/2" (4 x 40 mm)	3/32 x 5/8" (2 x 15 mm)
Sheet capacity:	19 - 21*	12 - 14*	8 - 10*
Shred capabilities:	  	 	 











SHREDDER BAGS
AC0920


SHREDDER OIL
ACCED21/4



DESTROYIT 2604

Powerful shredder with ECC (Electronic Capacity Control) indicator and an automatic oiler on cross-cut and super micro-cut models.

Specs	2604 Strip-Cut	2604 Cross-Cut	2604 Cross-Cut	2604 Super Micro-Cut
Security level:	P-2	P-4	P-5	P-7
Particle size:	3/16" (4 mm)	3/16 x 1 1/2" (4 x 40 mm)	3/32 x 5/8" (2 x 15 mm)	1/32 x 3/16" (.8 x 5 mm)
Sheet capacity:	27 - 30*	23 - 25*	14 - 16*	6 - 8*
Shred capabilities:	  	  	 	paper only











SHREDDER BAGS
AC0920


SHREDDER OIL
ACCED21/6



DESTROYIT 3104

Wide, 12 inch feed opening and a sturdy single phase motor rated for continuous operation. Shred volume is a hefty 32 gallons.

Specs	3104 Strip-Cut	3104 Cross-Cut	3104 Cross-Cut
Security level:	P-2	P-4	P-5
Particle size:	3/16" (4 mm)	3/16 x 1 1/2" (4 x 40 mm)	3/32 x 5/8" (2 x 15 mm)
Sheet capacity:	27 - 30*	22 - 25*	14 - 17*
Shred capabilities:	  	  	 









SHREDDER BAGS
AC0920

SHREDDER OIL
ACCED21/4




DESTROYIT 3105

Automatic oil injection ensures optimal performance at all times. High speed and sheet capacity make it ideal for high volume shredding.

Specs	3105 Cross-Cut	3105 Cross-Cut
Security level:	P-4	P-5
Particle size:	3/16 x 1 1/2" (4 x 40 mm)	3/32 x 5/8" (2 x 15 mm)
Sheet capacity:	37 - 39*	24 - 26*
Shred capabilities:	  	  

20 amp. dedicated line required.



SHREDDER BAGS
AC0901


SHREDDER OIL
ACCED21/6



DESTROYIT 3804

Attractively priced Centralized Office shredder with ECC (Electronic Capacity Control) and a super wide, 16 inch feed opening. Shred bin holds 44 gallons.

Specs	3804 Cross-Cut	3804 Cross-Cut
Security level:	P-4	P-5
Particle size:	3/16 x 1 1/2" (4 x 40 mm)	3/32 x 5/8" (2 x 15 mm)
Sheet capacity:	24 - 26*	12 - 14*
Shred capabilities:		



SHREDDER BAGS
AC0901

SHREDDER OIL
ACCED21/4




DESTROYIT 4005

Our most powerful Centralized Office shredder comes with an automatic oiler and is available in 4 security levels including super micro-cut, as well as a micro-cut. (Micro-cut sold in Canada only.)

Specs	4005 Strip-Cut	4005 Cross-Cut	4005 Cross-Cut	4005 Super Micro-Cut
Security level:	P-2	P-4	P-5	P-7
Particle size:	1/4" (6 mm)	3/16 x 1 1/2" (4 x 40 mm)	3/32 x 5/8" (2 x 15 mm)	1/32 x 3/16" (.8 x 5 mm)
Sheet capacity:	50 - 52*	37 - 39*	24 - 26*	10 - 12*
Shred capabilities:				paper only

20 amp. dedicated line required.



SHREDDER BAGS
AC0901

SHREDDER OIL
ACCED21/6



DESTROYIT 4002

Heavy duty, 1 3/4 horsepower motor makes the 4002 a perfect fit for continuous, high volume shredding environments. Cross-cut models are equipped with an automatic oiler.

Specs	4002 Strip-Cut	4002 Cross-Cut	4002 Cross-Cut
Security level:	P-2	P-4	P-5
Particle size:	1/4" (6 mm)	3/16 x 1 1/2" (4 x 40 mm)	3/32 x 5/8" (2 x 15 mm)
Sheet capacity:	32 - 35*	24 - 26*	14 - 16*
Shred capabilities:			



SHREDDER BAGS
AC0901

SHREDDER OIL
ACCED21/6



RECOMMENDED BAGS & OIL FOR CENTRALIZED SHREDDERS

MODEL	SHREDDER BAGS	SHREDDER OIL
2503	AC0920	ACCED21/4
2604	AC0920	ACCED21/6
3104	AC0920	ACCED21/4
3105	AC0901	ACCED21/6
3804	AC0901	ACCED21/4
4002	AC0901	ACCED21/6
4005	AC0901	ACCED21/6



- 1) Super micro-cut and High Capacity shafts are covered by a one-year warranty.
2) ELECTRONIC CAPACITY CONTROL not available on model 2503.

HIGH CAPACITY SHREDDERS

An in-house shredding program based around Destroyit High Capacity shredders is the most secure and cost effective way of disposing large quantities of sensitive documents. When you hand over documents to an outside service, you relinquish control of your data security. Shred services are also a never-ending expense which will only increase over time.

Destroyit High Capacity model shredders offer optimum solutions for super high volume data destruction. The entry level model 4606 is equipped with an automatic oiler and handy feed hopper which allows the user to empty the contents of entire paper bins, including crumpled paper, directly into the shredder. The 4108 and 5009 have powered conveyors which facilitate the fast and efficient feeding of large quantities of documents. The 5009 has an astounding 600 plus sheet capacity and can even shred full sized 3-ring binders.



HIGH CAPACITY SHREDDER FEATURES



ELECTRONIC SAFETY FEATURES (4606)
Should a jam occur, the hopper can be tilted back to clear the jam. Motor power is automatically cut off during this operation.



FOLD-OUT FEED TABLE (4606)
The fold-out feed table is used for feeding flat paper stacks. Start and stop functions are controlled by a photo cell.



BULK PAPER SHREDDING (4606)
Special rotating paddles are used to feed bulky materials into the cutting unit.



EASY BAG CHANGE (4108)
Pull-out bag frame is mounted on rollers, allowing easy access to shred bag.



ILLUMINATION OF THE WORKING AREA
The feeding area and the conveyor belt are illuminated by LEDs (4108).



CENTRALIZED OILER (5009)
Conveniently located centralized oiler provides quick and easy lubrication of the cutting shafts.



MODULAR EXIT CONVEYOR BELT (5009)
Optional accessory greatly increases shred capacity by transporting shredded material to an external container.



MOBILE SHRED BIN (5009)
79 gallon shred bin is mounted on heavy duty casters for easy mobility. Shredder stops automatically when door is opened.



ROBUST CUTTING UNIT (5009)
Industrial, tempered steel cutting head will effortlessly destroy hardbound documents including full sized 3-ring binders.



Made in Germany




Eco Friendly

DESTROYIT 4606

Space saving High Capacity shredder with automatic oiler and unique feed hopper for bulky material. Equipped with a conventional feed slot for flat paper stacks.

Specs	4606 Cross-Cut	4606 Cross-Cut
Security level:	P-3	P-5
Particle size:	1/4 x 2" (6 x 50 mm)	3/32 x 5/8" (2 x 15 mm)
Sheet capacity:	50 - 60*	32 - 37*
Shred capabilities:		



SHREDDER BAGS
AC0901


SHREDDER OIL
ACCED21/G

DESTROYIT 5009

The ultimate in High Capacity data destruction. Conveyor-fed shredder features a sheet capacity of over 600 and a 79 gallon shred volume. An optional exit conveyor system increases shred capacity by transporting shredded material to an external container. Centralized oiler provides lubrication for the cutting shafts.

Specs	5009 Cross-Cut	5009 Cross-Cut
Security level:	P-2	P-3
Particle size:	11/32 x 1 1/2 - 3" (8 x 40 - 80 mm)	1/4 x 2" (6 x 50 mm)
Sheet capacity:	600 - 700*	300 - 400*
Shred capabilities:		

Optional auto-oiler available.



CHECK MODIFICATION KIT
AC0100

COLLECTION CART
DSH0330

CONVEYOR BELT
DSH0332

SHREDDER BAGS
AC0924


SHREDDER OIL
ACCED21/G



DESTROYIT 4108

Wide feed table and powered conveyor for fast, efficient feeding. Equipped with an automatic oiling system and Easy Switch.

Specs	4108 Strip-Cut	4108 Cross-Cut
Security level:	P-2	P-3
Particle size:	1/4" (6 mm)	1/4 x 2" (6 x 50 mm)
Sheet capacity:	75 - 95*	65 - 82*
Shred capabilities:		




SHREDDER BAGS
AC0922

SHREDDER OIL
ACCED21/G

RECOMMENDED BAGS & OIL FOR HIGH CAPACITY SHREDDERS

MODEL	SHREDDER BAGS	SHREDDER OIL
4606	AC0901	ACCED21/G
4108	AC0922	ACCED21/G
5009	AC0924	ACCED21/G





IDEAL Krug & Priester is the parent company of MBM. For over half a century, IDEAL has manufactured environmentally sustainable products to the highest standards of quality and reliability.

Founded in Balingen, Germany in 1951, IDEAL has grown from a small family business to become the world's leading manufacturer of paper shredders with millions of customers worldwide. This success has been achieved through a passionate devotion to quality in every phase of the manufacturing process. Fully integrated production methods allow the maintenance of a quality control system unrivaled in the industry.

Environmental responsibility has been an integral part of the IDEAL corporate philosophy from the beginning. Environmentally compatible production systems operate without hazardous or toxic substances and only sustainable materials are used in the production of IDEAL products.



Shredding documents before they leave the building is the only way to be sure they are properly destroyed. Using a shredding service is relinquishing control of your data security program—a stranger is put in possession of your sensitive materials.

Never before have more resources been invested in stealing information—and it's never been more lucrative. Having a secure computer network is a must, but having an in-house program to dispose of confidential hard copies is just as important. If you use a shredding service, documents are leaving the building intact, in the hands of strangers. The false sense of security they provide is also accompanied by a never-ending expense which will never decrease. That's why shredding at the source with Destroyit shredders should be the foundation of every document security program.

Destroyit shredders are heavy-duty, industrial-quality machines capable of disposing large quantities of material day after day, year after year, with no drop-off in performance. Milled to exacting specifications from the finest quality hardened steel, our cutting shafts are the best in the world and guaranteed for life.* With over 30 models available, there's a Destroyit to fit the most exacting requirements.

*Super micro-cut and High Capacity shafts are covered by a one-year limited warranty.

DESTROYIT Paper Shredders at a glance

This chart will help you find the shredder model perfectly suited to your individual requirements. For more information on Destroyit Paper Shredders or to locate a Destroyit dealer near you, please visit our website.

DESKSIDE

Deskside shredders put effective data security right at your side. Unlike cheaper brands, they are built with the highest quality materials and construction standards to provide years of dependable service.

Model	Strip width / particle size	Feed opening, inches	Sheet capacity ¹	Security level (DIN 66399)	Shredding capabilities (non-paper)	Shred speed, ft. / min.	Shred volume, gallons	Electrical requirements, volts	Maximum horsepower	Automatic oil injection / SSC ² / ECC ³	Dimensions (D x W x H), inches	Shipping weight, pounds
2265 cross-cut	1/8 x 1 inches (3 x 25 mm)	8 3/4	5-6	P-4		12	5	115	1/5 (.15 kw)	-	8 3/4 x 13 1/2 x 21	28
2445 cross-cut	3/16 x 1 1/2 inches (4 x 40 mm)	9 1/2	11-13	P-4		14	9	115	1/2 (.39 kw)	SSC	11 3/4 x 15 1/2 x 28 3/4	53
2445 cross-cut	3/32 x 5/8 inches (2 x 15 mm)	9 1/2	6-8	P-5		14	9	115	1/2 (.39 kw)	SSC	11 3/4 x 15 1/2 x 28 3/4	53
2445 super micro-cut	1/32 x 3/16 inches (.8 x 5 mm)	9 1/2	5-7	P-7	-	14	9	115	1/2 (.39 kw)	SSC	11 3/4 x 15 1/2 x 25	53
2465 strip-cut	3/16 inches (4 mm)	9 1/2	19-22	P-2		27	9	115	3/4 (.58 kw)	SSC	11 1/2 x 15 1/2 x 25	58
2465 cross-cut	3/16 x 1 1/2 inches (4 x 40 mm)	9 1/2	13-15	P-4		27	9	115	3/4 (.58 kw)	SSC	11 1/2 x 15 1/2 x 25	58
2465 cross-cut	3/32 x 5/8 inches (2 x 15 mm)	9 1/2	9-11	P-5		27	9	115	3/4 (.58 kw)	SSC	11 1/2 x 15 1/2 x 25	58

CENTRALIZED OFFICE

Centralized Office models are commercial grade, high volume machines specifically designed to shred large amounts of material daily. Ideally, they are placed in a common area and shared by employees.

Model	Strip width / particle size	Feed opening, inches	Sheet capacity ¹	Security level (DIN 66399)	Shredding capabilities (non-paper)	Shred speed, ft. / min	Shred volume, gallons	Electrical requirements, volts	Maximum horsepower	Automatic oil injection / SSC ² / ECC ³	Dimensions (D x W x H), inches	Shipping weight, pounds
2503 strip-cut	3/16 inch (4 mm)	10 1/4	19-21	P-2		24	20	115	3/4 (.58 kw)	-	14 3/4 x 19 3/4 x 34 1/4	78
2503 cross-cut	3/16 x 1 1/2 inches (4 x 40 mm)	10 1/4	12-14	P-4		24	20	115	3/4 (.58 kw)	-	14 3/4 x 19 3/4 x 34 1/4	78
2503 cross-cut	3/32 x 5/8 inches (2 x 15 mm)	10 1/4	8-10	P-5		24	20	115	3/4 (.58 kw)	-	14 3/4 x 19 3/4 x 34 1/4	78
2604 strip-cut	3/16 inch (4 mm)	10 1/4	27-30	P-2		18	26	115	1 (.64 kw)	ECC	18 1/2 x 19 1/2 x 36 1/2	123
2604 cross-cut	3/16 x 1 1/2 inches (4 x 40 mm)	10 1/4	23-25	P-4		18	26	115	1 (.64 kw)	ECC & auto oil	18 1/2 x 19 1/2 x 36 1/2	123
2604 cross-cut	3/32 x 5/8 inches (2 x 15 mm)	10 1/4	14-16	P-5		18	26	115	1 (.64 kw)	ECC & auto oil	18 1/2 x 19 1/2 x 36 1/2	123
2604 super micro-cut	1/32 x 3/16 inches (.8 x 5 mm)	10 1/4	6-8	P-7	-	28	26	115	1 (.64 kw)	ECC & auto oil	18 1/2 x 19 1/2 x 36 1/2	123
3104 strip-cut	3/16 inch (4 mm)	12	27-30	P-2		18	32	115	1 (.64 kw)	ECC	18 1/2 x 21 x 36 1/2	132
3104 cross-cut	3/16 x 1 1/2 inches (4 x 40 mm)	12	22-25	P-4		18	32	115	1 (.64 kw)	ECC	18 1/2 x 21 x 36 1/2	132
3104 cross-cut	3/32 x 5/8 inches (2 x 15 mm)	12	14-17	P-5		18	32	115	1 (.64 kw)	ECC	18 1/2 x 21 x 36 1/2	132
3105 cross-cut	3/16 x 1 1/2 inches (4 x 40 mm)	12	37-39	P-4		30	37	115 ⁴	2 1/8 (1.6 kw)	ECC & auto oil	23 x 22 x 40	324
3105 cross-cut	3/32 x 5/8 inches (2 x 15 mm)	12	24-26	P-5		30	37	115 ⁴	2 1/8 (1.6 kw)	ECC & auto oil	23 x 22 x 40	324
3804 cross-cut	3/16 x 1 1/2 inches (4 x 40 mm)	16	24-26	P-4		20	44	115	1 (.64 kw)	ECC	23 1/4 x 25 1/4 x 38 1/4	233
3804 cross-cut	3/32 x 5/8 inches (2 x 15 mm)	16	12-14	P-5		20	44	115	1 (.64 kw)	ECC	23 1/4 x 25 1/4 x 38 1/4	233
4002 strip-cut	1/4 inch (6 mm)	16	32-35	P-2		30	44	115	1 3/4 (1.3 kw)	ECC	23 1/4 x 25 1/4 x 38 1/4	239
4002 cross-cut	3/16 x 1 1/2 inches (4 x 40 mm)	16	24-26	P-4		25	44	115	1 3/4 (1.3 kw)	ECC & auto oil	23 1/4 x 25 1/4 x 38 1/4	240
4002 cross-cut	3/32 x 5/8 inches (2 x 15 mm)	16	14-16	P-5		25	44	115	1 3/4 (1.3 kw)	ECC & auto oil	23 1/4 x 25 1/4 x 38 1/4	240
4005 strip-cut	1/4 inch (6 mm)	16	50-52	P-2		40	44	115 ⁴	2 1/8 (1.6 kw)	ECC & auto oil	23 1/4 x 25 1/4 x 39 3/4	343
4005 cross-cut	3/16 x 1 1/2 inches (4 x 40 mm)	16	37-39	P-4		30	44	115 ⁴	2 1/8 (1.6 kw)	ECC & auto oil	23 1/4 x 25 1/4 x 39 3/4	378
4005 cross-cut	3/32 x 5/8 inches (2 x 15 mm)	16	24-26	P-5		30	44	115 ⁴	2 1/8 (1.6 kw)	ECC & auto oil	23 1/4 x 25 1/4 x 39 3/4	378
4005 super micro-cut	1/32 x 3/16 inches (.8 x 5 mm)	16	10-12	P-7	-	44	44	115 ⁴	2 1/8 (1.6 kw)	ECC & auto oil	23 1/4 x 25 1/4 x 39 3/4	390


HIGH CAPACITY

A High Capacity in-house shredding program designed around Destroyit is the most secure and economical way of efficiently disposing large amounts of sensitive documents.

Model	Strip width / particle size	Feed opening, inches	Sheet capacity ¹	Security level (DIN 66399)	Shredding capabilities (non-paper)	Shred speed, ft. / min.	Shred volume, gallons	Electrical requirements, volts	Maximum horsepower	Centralized oil injection	Dimensions (D x W x H), inches	Shipping weight, pounds
4606 cross-cut	1/4 x 2 inches (6 x 50 mm)	18	50-60	P-3		40	61	220, 3 phase	7 1/3 (2.2 kw)	✓	30 x 29 x 67	715
4606 cross-cut	3/32 x 5/8 inches (2 x 15 mm)	18	32-37	P-5		40	61	220, 3 phase	7 1/3 (2.2 kw)	✓	30 x 29 x 67	715
4108 strip-cut	1/4 inch (6 mm)	16	75-95	P-2		60	79	220, 3 phase	10 (4 kw)	✓	67 x 48 3/4 x 56 3/4 ⁵	994
4108 cross-cut	1/4 x 2 inches (6 x 50 mm)	16	65-82	P-3		53	79	220, 3 phase	8 (3 kw)	✓	67 x 48 3/4 x 56 3/4 ⁵	983
5009 cross-cut	11/32 x 1 1/2-3 inches (8 x 40-80 mm)	20	600-700	P-2		24-46 ⁶	79	220, 3 phase ⁷	24 (9 kw)	✓	85 1/2 x 40 3/4 x 67 1/2 ⁸	3,080
5009 cross-cut	1/4 x 2 inches (6 x 50 mm)	20	300-400	P-3		24-45 ⁶	79	220, 3 phase ⁷	24 (9 kw)	✓	85 1/2 x 40 3/4 x 67 1/2 ⁸	3,080

LEGEND


- ¹ certified using 8 1/2" x 11" 20 lb. bond and recommended power supply
- ² SSC (Smart Shred Control) a smiley face illuminates to indicate adequate sheet capacity levels during shredding process
- ³ ECC (Electronic Capacity Control) prevents paper jams by monitoring sheet capacity levels during shredding process
- ⁴ 20 amp, dedicated line required
- ⁵ transportation width (minus side tables) is 27 inches
- ⁶ 2 automatic speed modes
- ⁷ 50 amp, dedicated line required
- ⁸ depth with modular conveyor belt system is 121 inches



DESKSIDE

CENTRALIZED OFFICE

HIGH CAPACITY



Warranty

Deskside and Centralized Office strip- and cross-cut models:

- lifetime limited warranty on cutting shafts and wheels
- 3 year limited warranty on all other parts, excluding wearables
- 90 day limited warranty on labor or exchange at MBM's discretion

High Capacity and Super Micro Cut models:

- 1 year limited warranty on cutting shafts and wheels
- 1 year limited warranty on all other parts, excluding wearables

Special Solutions models:

- 1 year limited warranty, excluding wearables



3134 Industry Drive
North Charleston, SC 29418
843-552-2700
www.mbmcorp.com



945B Southgate Drive
Guelph, ON N1L 0B9
800-387-2528
www.ideal-mbm.com